ELSEVIER

Operations Research Letters 17 (1995) 251–252

operations research letters

Author Index to Volume 17

The issue number is given in front of the page numbers

Adams, W.P., *see* Sherali, H.D. (1) 19– 26
Allen, W.R., An improved bound for the multifacility location model (4) 175–180
An, L.T.H., *see* Phong, T.Q. (5) 215–220
Artalejo, J.R., A queueing system with returning customers and waiting line (4) 191–199
Aspvall, B., S.D. Flåm and K.P. Villanger, Selecting among scheduled projects (1) 37– 40

Ball, M.O. and F.L. Lin, Reliability, covering and balanced matrices (1) 1– 7
Bertsekas, D.P., Generic rank-one corrections for value iteration in Markovian decision problems (3) 111–119
Brännlund, U., K.C. Kiwiel and P.O. Lindberg, A descent proximal level bundle method for convex nondifferentiable optimization (3) 121–126
Burkard, R.E., On the role of bottleneck Monge matrices in combinatorial optimization (2) 53– 56

Chang, S., Q. Lu, G. Tang and W. Yu, On decomposition of the total tardiness problem (5) 221–229
Chao, X. and M. Pinedo, Networks of queues with batch services, signals and product form solutions (5) 237–242
Chao, X., Monotone effect of dependency between interarrival and service times in a simple queueing system (1) 47– 52
Chen, H.-D., D.W. Hearn and C.-Y. Lee, Minimizing the error bound for the dynamic lot size model (2) 57– 68
Chen, Z.-L., A note on single-processor scheduling with time-dependent execution times (3) 127–129
Cheng, T.C.E. and M.Y. Kovalyov, Single machine batch scheduling with deadlines and resource dependent processing times (5) 243–249

Dean, N., M. Mevenkamp and C.L. Monma, NETPAD: An interactive graphics system for network modeling and optimization (2) 89–103

Emmons, H. and K. Mathur, Lot sizing in a no-wait flow shop (4) 159–164

Facchinei, F., Minimization of SC^1 functions and the Maratos effect (3) 131–137
Flåm, S.D., *see* Aspvall, B. (1) 37– 40

Hartvigsen, D. and F. Margot, Multiterminal flows and cuts (5) 201–204
Hassin, R. and M. Haviv, Equilibrium strategies for queues with impatient customers (1) 41– 45
Haviv, M., *see* Hassin, R. (1) 41– 45
Hearn, D.W., *see* Chen, H.-D. (2) 57– 68
Hochbaum, D.S., A nonlinear Knapsack problem (3) 103–110
Hojati, M., The network synthesis problem in a cycle (5) 231–236
Hoogeveen, J.A. and S.L. van de Velde, Minimizing total completion time and maximum cost simultaneously is solvable in polynomial time (5) 205–208
Hwang, F.K. and U.G. Rothblum, Assembly at system level versus component level (4) 153–157

Jacobson, S.H., How difficult is the frequency selection problem? (3) 139–147

Elsevier Science B.V.

Kiwiel, K.C., *see* Brännlund, U. (3) 121–126
Kovalyov, M.Y., *see* Cheng, T.C.E. (5) 243–249
Kovalyov, M.Y., Improving the complexities of approximation algorithms for optimization problems (2) 85– 87

Labbé, M., G. Laporte and S. Martello, An exact algorithm for the dual bin packing problem (1) 9– 18
Laporte, G., *see* Labbé, M. (1) 9– 18
Lee, C.-Y., *see* Chen, H.-D. (2) 57– 68
Lee, Y., *see* Sherali, H.D. (1) 19– 26
Lin, F.L., *see* Ball, M.O. (1) 1– 7
Lindberg, P.O., *see* Brännlund, U. (3) 121–126
Lu, Q., *see* Chang, S. (5) 221–229

Magirou, V.F., *see* Milis, I.Z. (2) 69– 76
Margot, F., *see* Hartvigsen, D. (5) 201–204
Martello, S., *see* Labbé. M. (1) 9– 18
Mathur, K., *see* Emmons, H. (4) 159–164
Mevenkamp, M., *see* Dean, N. (2) 89–103
Milis, I.Z. and V.F. Magirou, A Lagrangian relaxation algorithm for sparse quadratic assignment problems (2) 69– 76
Monma, C.L., *see* Dean, N. (2) 89–103
Morrice, D.J., A comparison of frequency domain methodology and conventional factor screening methods (4) 165–174

Orda, A. and R. Rom, On continuous network flows (1) 27– 36

Phong, T.Q., L.T.H. An and P.D. Tao, Decomposition branch and bound method for globally solving linearly constrained indefinite quadratic minimization problems (5) 215–220
Pinedo, M., *see* Chao, X. (5) 237–242

Rom, R., *see* Orda, A. (1) 27– 36
Rothblum, U.G., *see* Hwang, F.K. (4) 153–157

Sherali, H.D., Y. Lee and W.P. Adams, A simultaneous lifting strategy for identifying new classes of facets for the Boolean quadric polytope (1) 19– 26

Tang, G., *see* Chang, S. (5) 221–229
Tao, P.D., *see* Phong, T.Q. (5) 215–220

van de Velde, S.L., *see* Hoogeveen, J.A. (5) 205–208
Vavasis, S.A. and Y. Ye, Condition numbers for polyhedra with real number data (5) 209–214
Ventura, J.A. and M.X. Weng, An improved dynamic programming algorithm for the single-machine mean absolute deviation problem with a restrictive common due date (3) 149–152
Villanger, K.P., *see* Aspvall, B. (1) 37– 40

Weng, M.X., *see* Ventura, J.A. (3) 149–152

Xu, X. and Y. Ye, A generalized homogeneous and self-dual algorithm for linear programming (4) 181–190

Ye, Y., *see* Vavasis, S.A. (5) 209–214
Ye, Y., *see* Xu, X. (4) 181–190
Yu, W., *see* Chang, S. (5) 221–229

Zazanis, M.A., Derivative estimation via stochastic intensities: Event averages in queueing systems (2) 77– 84